Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.33

Riggs, Edmond

LOUISIANA IRISES
Us Depart on Agriculture

	Salaring and the Control of the Cont
FOLIOSA (Mackenzie and Bush 1902) Deep violet purple.	Zigzaz stemmed 25
FULVA (John Bellenden Kerr 1812) Color is brick or coppe no crest. 30 inch YAZOO (T. A. Washington 1932) Greyish mauve. 2 feet	.25
VINICOLOR (Dr. Small 1925) One of the most beautiful of race and the first new Iris discovered to be named by I Color is dark wine purple. 42 inches	Or. Small.
ELIZABETH WASHINGTON (T. A. Washington 1931) B flower. Honorable mention American Iris Society 1933.	,
FULVALA (Dr. William Rickatson Dykes 1910) Burgundy wine tone GIGANTICAERULEA (Dr. John Kunkel Small 1929) Best of the deep blues and giant of the Louisiana Irises.	35
It is one of the tallest Iris known. 6 feet CACIQUE (Dr. Stillman Berry 1925) A savannahrum and fulva hybrid. Flowers brilliant purple	1.00
REBECCA WASHINGTON (T. A. Washington 1931) Dark pink KILDEA (Dr. Frank F. Williams) A rare and beautiful	3.00
Iris. Flowers jersey cream yellow. 36 inches DOROTHEA K. WILLIAMSON (Edward B. Williamson 1918) A fulva and foliosa hybrid. Flowers rich purple. 34 inches	3.00
MISSISSIPPENSIS (Edward J. Alexander) Blue-violet network over white background. 10 inches	
I arge white flower with yellow crest. 40 inches VIRGINICA Bright lavender flowers. Narrow leaves flushed with purple below	.35
EVANGELINE Lemon yellow, quite unusual and thrilling to grow	2.50 35
QUEEN MARIE LAVEAU (Abbeville Type) Rose-pink LA LOUISIANE Mauve-buff blend. A worthy addition. 50 in	1.00
CRPRESS ISLAND Petunia-violet zigzag stemmed EDWARD J. ALEXANDER Rich mahogany red. One of the most beautiful of the Abbeville type	1.50
BONNE-NOUVELLE Blue and white streak through	

.35

center of sepal. Very late bloomer. Foliosa type _____

THE LOUISIANA WILD IRIS

CHARLES VICTOR KRAFT

If a lazy lover of plants asked us to name a flower as esquisitely delicate as an orchid, as beautiful as a rose, and yet one which withstands extremes of heat and cold, which flourishes in high or low land, or in water, and one which is not molested by insects or disease, we would not have to smile and shake our heads in despair. We would not even have to stop and think. The answer would be in the Louisiana Wild Iris. It alone fills all these requirements.

I became flower minded about forty years ago. It was in New Orleans that my attention was first attracted by the great variety of colors in the blooms of the Louisiana wild iris found growing and blooming in the gutters along unimproved streets and in swampy places in the suburbs of this interesting southern city.

Road building in southern Louisiana and throughout this delta section, the improvement of our streets, and the digging of great canals for the drainage of our land, were the principal factors destroying these wonderfully interesting plants that grew despite any other obstacle. Alleys and undrained gutters strewn with tin cans and other

rubbish lost their ugliness in the early spring as these beautiful irises, capped with colorful blooms, shot their graceful spikes through the debris.

Because these plants were so numerous and so accessable, they were not generally planted in the lovely gardens of old New Orleans. But, conditions have changed; the march of progress has threatened their perpetuation and in doing so has increased their popularity.

It has been suggested by botanists and floraculturists that some one in the immediate vicinity of New Orleans devote his time and grounds to saving as many of the different varieties as possible. We have accepted this suggestion and are now engaged in gathering, selecting, and propagating these wonderful plants.

Those who are interested in the habits and requirements of our native iris, may be better served by anticipating their questions.

Iris may be taken from their origional location any time of the year, but the best time is in July or August when they are dormant. If they are transplanted after September, they will

not bloom the following spring, unless a large ball of earth is taken with each clump. They should be planted eight inches apart. The rhizome (or root) should not be planted too deep; in fact, the top should be barely covered with soil. The same condition should apply when planting in soil under water.

The soil must be acid and very rich in food value to get best results. Aluminum sulphate, about a pound to a square yard, will be sufficient. A complete plant food with a neutral reaction may be used very liberally as a food. A four inch pot full, with an equal amount of cotton seed meal, is recommended for every twelve square feet of surface. It should be applied early in the spring, not later than the last of March.

In a survey of the Louisiana Wild Iris, the curator of the New York Botanical Garden, the late Dr. John K. Small, found more than two hundred different shades of the blue, red, and purple in the vicinity of New Orleans.

If you are a lover of the iris, and if you like to produce new shades, you should try your hand at pollination.

New colors or shades may be produced during the blooming seasons by taking the pollen "dust of the bloom"—from the stamens (the male organ) and transfering it to the ovula (female organs) by means of a fine camel's hair brush. The result-

ing seed, when planted, will give you a shade between the two colors you have pollinated. These new seedlings will not bloom until their second year. You will find this experiment very interesting, educational, and in most cases successful.

They are successfully grown as far north as Canada, but in these cold regions they should be planted in very rich soil, and heavily mulched during the winter. The New York Botanical Garden has a plantation of these irises of which they are very proud.

So whether your land is low or high, your climate hot or cold, with practically no work on your part, you may grow flowers with all of the delicacy of the orchid and all the beauty of the rose.





EVANGELINE (from a painting)

In the background is the Historical Evangeline Oak, on Bayou Teche, America's most famous tree, the spot where Evangeline met Gabriel (Louis Arceneaux) and where the exiled Acadians landed in 1765. At right is the St. Martin Catholic Church, founded in 1765. It contains the oil painting of St. Martin of Tours, an artistic masterpiece, and the Grotto of Lourdes, a reproduction of the famous Shrine in France. Near the left wing of the Church lies the Remains of Evangeline (Emmeline Labiche), her statue is over her grave. In the foreground is a clump of Wild lris (Iris Fulva) in bloom.

8 X 10 Photo reproduction of painting 50¢ repaid

ETHEL April	cot color. It grows and blooms well	
Collection of 1	0 assorted unlabeled irises	1
Collection of 5	0 assorted unlabeled irises	4
	IS (Moraeas) Have a creeping rootstock (Rhizomes). Flo perennial. Makes a nice tub plant for the North	
	IRIS (Spuria) Ivory-white flowers with yellow patch on ve evergreen foliage	
narrow ev	IS (Marcia Gracilis) An Iris from South America. They ergreen leaves and the flowers are produced from flower t are like the leaves	
CRESTED IRI	S (Iris Cristata) Eastern native. Likes shade. Flowers o	of soft 6 for 1
WATER IRIS	(Iris Pseudacorus) A tall flowering water iris from Eng for naturalizing around pools	land,
	(Iris Dichotoma) Blooms in August. In the late .29	
BEARDED IR	CIS (Assorted Colors)	7

EDMOND RIGGS St. Martinville, La.